


# 1/48 EXCELLENT RESIN CAST MODELS & SETS



8054 (1/48)  
**MA-1A USAF START CART**



8056 (1/48)  
**MAN LE 10.220**  
Bundeswehr Military Aircraft Tug + Towbar



8049 (1/48)  
**M29 WEASEL**  
WWII US Amphibious Vehicle



8055 (1/48)  
**Unimog U406 DoKa**  
Bundeswehr Military Aircraft Tug + Towbar



4308 (1/48)  
**EADS GAF Telegen Recce Pod**




4309 (1/48)  
**EADS GAF Recce Pod**



4312 (1/48)  
**AS-34 Kormoran 2 Anti-ship**



4313 (1/48)  
**Taurus KEPD 350**  
Long-Range Air-to-Surface Mis



4314 (1/48)  
**AGM-88 HARM Air-to-Surface Missile**



Odléváný set / All resin set

8059  
1/48





**Pz.38(t) Ausf. E/F Engine Set** for Tamiya kit

Visit our official website and e-shop at [www.cmkkits.com](http://www.cmkkits.com)  
[www.specialhobby.eu](http://www.specialhobby.eu)

PUR - Polyurethane parts



[www.facebook.com/specialhobby](http://www.facebook.com/specialhobby)



drát není součástí  
wire not included

Díly ohnuté popř. pokroucené vlivem teplotních změn a stárnutí materiálu, mohou být narovnané do požadovaného tvaru pomocí proudu teplé vody nebo vzduchu (fén na vlasy). Různé drátky a tyčky nejsou přiloženy. Kontaktní plochy doporučujeme před lepením odmastit.

Parts slightly distorted and bent owing to temperature changes or due to material ageing can be straightened to requested shape by hot water or hot air jet (hair dryer). This process can be repeated till result is entirely satisfactory. Wires and rods not included. It is recommended to remove grease from contact areas

K lepení použít kyanoakrylátové lepidlo / For best gluing results use cyanoacrylate glue!

| SYMBOLS |                                                            |  |                                                                                                             |  |                                       |
|---------|------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------|--|---------------------------------------|
|         | MOŽNOST VOLBY<br>OPTIONAL<br>NACH BELIEBEN<br>OPTION       |  | POUŽÍTE KYANOAKRYLÁTOVÉ LEPIDLO<br>INSTANT CYANOACRYLATE GLUE<br>ZYANOAKRYLATKLEBER<br>ADHESIF CYANOACRYLAT |  | OHNOUT<br>BEND<br>BIEGEN<br>COURBER   |
|         | ZHOTOVIT NOVĚ<br>SCRATCH BUILD<br>FERTIGSTELLEN<br>ACHEVER |  | ŘEZAT/VRTAT<br>CUT OFF/DRILL<br>ENTFERNEN<br>DETACHER                                                       |  | NATŘÍT<br>COLOUR<br>FARBEN<br>PEINDRE |
|         |                                                            |  |                                                                                                             |  | CS colours code                       |




facebook.com/specialhobby  
[WWW.SPECIALHOBBY.EU](http://WWW.SPECIALHOBBY.EU)  
[WWW.CMKKITS.COM](http://WWW.CMKKITS.COM)


special  
hobby

Producer: Special Hobby, Mezilesí 718, 193 00 Praha 9, Czech Republic


1




2




11




12



9



3



matná černá  
matt black

hliník  
aluminium



kovově šedá  
steel grey

světlá šedá  
light grey


suřík  
red brown

10

nový kryt  
new cover




4




Možnost volby - krytem uzavřete ventilátor nebo jej odložte vedle modelu  
Possibility of option - close radiator by cover or put it besides the model


5



6



7



8

